

## Contents of Volumes 187–188

Vols. 187–188

(Special Issue: Characterization of Porous Materials II: from Angstroms to Millimeters)

Foreword . . . . .	1
<i>Review</i>	
The use of nitrogen adsorption for the characterisation of porous materials K. Sing (Bristol, UK) . . . . .	3
Characterization of nanoporous materials from adsorption and desorption isotherms P.I. Ravikovitch and A.V. Neimark (Princeton, NJ, USA) . . . . .	11
The Horvath–Kawazoe method revisited R.J. Dombrowski, C.M. Lastoskie and D.R. Hyduke (East Lansing, MI, USA) . . . . .	23
Extracting the pore size distribution of compliant materials from nitrogen adsorption G. Reichenauer and G.W. Scherer (Princeton, NJ, USA) . . . . .	41
Characterization of micro-mesoporous carbon media D.D. Do, C. Nguyen and H.D. Do (St. Lucia, Australia) . . . . .	51
Characterization of adsorbents by energy profile of adsorbed molecules A.L. Myers and F. Siperstein (Philadelphia, PA, USA) . . . . .	73
Reference potentials for adsorption of helium, argon, methane, and krypton in high-silica zeolites O. Talu (Cleveland, OH, USA) and A.L. Myers (Philadelphia, PA, USA) . . . . .	83
Surface compression in adsorption systems G.L. Aranovich and M.D. Donohue (Baltimore, MD, USA) . . . . .	95
MCM-41, MCM-48 and related mesoporous adsorbents: their synthesis and characterisation D. Kumar, K. Schumacher, C. du Fresne von Hohenesche, M. Grün and K.K. Unger (Mainz, Germany) . . . . .	109
Formation of ordered macropores and templated nanopores in silica sol–gel system incorporated with EO–PO–EO triblock copolymer Y. Sato, K. Nakanishi, K. Hirao, H. Jinnai, M. Shibayama (Kyoto, Japan), Y.B. Melnichenko and G.D. Wignall (Oak Ridge, TN, USA) . . . . .	117
Characterization of a gel-derived silica intended for use as a reference material M.A. Thomas (Boynton Beach, FL, USA) and N.J. Coleman (London, UK) . . . . .	123
Structure and texture analysis of colloidal silica in porous glasses D. Enke, F. Janowski, W. Gille (Halle, Germany) and W. Schwieger (Erlangen, Germany) . . . . .	131
Synthesis and characterization of micro-mesoporous solids: pillared clays K. Sapag (Madrid, Spain; San Luis, Argentina) and S. Mendioroz (Madrid, Spain) . . . . .	141
Characterization of microporous solids by immersion calorimetry J. Silvestre-Albero, C. Gómez de Salazar, A. Sepúlveda-Escribano and F. Rodríguez-Reinoso (Alicante, Spain) . . . . .	151
Porosity and adsorption properties of an activated charcoal J. Diaz-Terán, D.M. Nevskaya, A.J. López-Peñado and A. Jerez (Madrid, Spain) . . . . .	167
Oriented structures of alcohol hidden in carbon micropores with ERDF analysis T. Ohkubo and K. Kaneko (Chiba, Japan) . . . . .	177
The use of active carbons as cryosorbent C. Day (Karlsruhe, Germany) . . . . .	187
Thermal desorption methods for porosity characterization of carbons and chars L.-H. Zhang and J.M. Calo (Providence, RI, USA) . . . . .	207
Carbon porosity characterization via small angle neutron scattering J.M. Calo (Providence, RI, USA), P.J. Hall (Glasgow, UK) and M. Antxustegi (Sebastián, Spain) . . . . .	219
Petrophysical properties of porous medium from Petrographic Image Analysis data A. Cerepi, L. Humbert and R. Burlot (Pessac, France) . . . . .	233
Characterization of fractal surface roughness and its influence on diffusion and reaction M.-O. Coppens (Delft, The Netherlands) . . . . .	257

Characterization of porous materials by finite concentration inverse gas chromatography F. Thielmann, D.A. Butler and D.R. Williams (London, UK) . . . . .	267
Chromatographic characterization of macroporous monolithic silica prepared via sol-gel process N. Ishizuka, H. Minakuchi, K. Nakanishi, K. Hirao and N. Tanaka (Kyoto, Japan). . . . .	273
Effect of ammonia and methylamine as coadsorbates on the adsorption behavior of benzene in NaBeta zeolite studied by FTIR spectroscopy B.-L. Su and V. Norberg (Namur, Belgium). . . . .	281
Location of benzene and cations in Si-rich NaY zeolites: a comparative and quantitative infrared spectroscopic study B.-L. Su and V. Norberg (Namur, Belgium). . . . .	297
Quantitative characterisation of H-Mordenite zeolite structure by infrared spectroscopy using benzene adsorption B.-L. Su and V. Norberg (Namur, Belgium). . . . .	311
Interaction of phenol with NaX zeolite as studied by $^1\text{H}$ MAS NMR, $^{29}\text{Si}$ MAS NMR and $^{29}\text{Si}$ CP MAS NMR spectroscopy T. Beutel, M.-J. Peltre (Paris, France) and B.L. Su (Namur, Belgium) . . . . .	319
Different approaches to the analysis of small angle scattering experiments on porous aluminum-hydroxide F.B. Rasmussen (Lyngby, Roskilde, Denmark) . . . . .	327
Study of the textural changes occurring during a solid state polymorphic transformation induced by temperature and relative humidity M. Sautel, G. Lépinasse and F. Leveiller (Vitry sur Seine, France) . . . . .	337
The standard contact porosimetry Y.M. Volfkovich (Thornhill, Canada), V.S. Bagotzky, V.E. Sosenkin and I.A. Blinov (Moscow, Russia) . . . . .	349
Mercury porosimetry applied to porous silica materials: successive buckling and intrusion mechanisms C. Alié, R. Pirard and J.-P. Pirard (Liège, Belgium) . . . . .	367
Image analysis, impedance spectroscopy and mercury porosimetry characterisation of freeze-drying porous materials S. Blacher, V. Maquet, R. Pirard, J.-P. Pirard and R. Jérôme (Liège, Belgium) . . . . .	375
Wetting and absorbency of nonionic surfactant solutions on cotton fabrics C. Kim (Dajon, South Korea) and Y.-L. Hsieh (Davis, CA, USA) . . . . .	385
Pore development in aluminosilicate fiber treated in hydrofluoric acid solutions J.C. Lee, H.J. Song, M.J. Park and H.I. Shin (Kyunggido, South Korea) . . . . .	399
Correlations between the shear strength of mineral filter cakes and particle size and surface tension O. Ozcan, B.B. Gonul, A.N. Bulutcu and H. Manav (Istanbul, Turkey) . . . . .	405
Mixed wettability: a numerical study of the consequences of porous media morphology A. Dominguez, H. Pérez-Aguilar (México, Mexico), F. Rojas (México, Querétaro, Mexico) and I. Kornhauser (México, Mexico) . . . . .	415
Simulation of three-dimensional porous networks S. Cordero (México, Mexico), F. Rojas (México, Querétaro, Mexico) and J.L. Riccardo (San Luis, Argentina). . . . .	425
A finite element model of mechanical properties of plain weave M. Tarfaoui (Wittelsheim, France) and S. Akesbi (Mulhouse, France) . . . . .	439
A statistical model of apparent pore size distribution and drainage capillary pressure S. Wo (Socorro, NM, USA), X. Xie and N.R. Morrow (Laramie, WY, USA). . . . .	449
A simple jump model for describing the molecular traffic control effect P. Bräuer, N. Neugebauer and J. Kärger (Leipzig, Germany). . . . .	459
Transport properties of porous membranes based on electrospun nanofibers P. Gibson, H. Schreuder-Gibson and D. Rivin (Natick, MA, USA) . . . . .	469
A diffusion model for water vapor transmission through microporous polyethylene/CaCO <sub>3</sub> films W.R. Hale, K.K. Dohrer, M.R. Tant (Kingsport, TN, USA) and I.D. Sand (USA) . . . . .	483
Self-diffusion in a fluid confined within a model nanopore structure J.M.D. MacElroy (Dublin, Ireland), L.A. Pozhar (Surrey, UK) and S.-H. Suh (Taegu, South Korea) . . . . .	493
Relaxation of polymers in 2 nm slit-pores: confinement induced segmental dynamics and suppression of the glass transition E. Manias, V. Kuppia (University Park, PA, USA), D.-K. Yang and D.B. Zax (Ithaca, NY, USA) . . . . .	509
Freezing behavior in porous glasses and MCM-41 M. Sliwinska-Bartkowiak, G. Dudziak, R. Gras, R. Sikorski (Poznan, Poland), R. Radhakrishnan and K.E. Gubbins (Raleigh, NC, USA). . . . .	523
Molecular modeling of carbon aerogels S. Gavalda (Raleigh, NC, USA), K. Kaneko (Chiba City, Japan), K.T. Thomson and K.E. Gubbins (Raleigh, NC, USA) . . . . .	531
<i>Review</i>	
Water in porous carbons J.K. Brennan (Raleigh, NC, USA), T.J. Bandosz (New York, NY, USA), K.T. Thomson (West Lafayette, IN, USA) and K.E. Gubbins (Raleigh, NC, USA) . . . . .	539
Calendar . . . . .	569
Author index . . . . .	571
Subject index . . . . .	573
Volume contents . . . . .	577

